










Thermal Printer		
ZKP5803		58mm Thermal Printer Print speed:90mm/s TPH:100Km Output:DC 12V/3A <b>Interface: USB (Standard),</b> Dimension:215*110*136mm
ZKP5801		58mm Thermal Printer speed:90mm/s TPH:100Km Output:DC 12V/3A <b>Interface: USB (Standard),</b> Dimension:215*110*136mm <span style="float: right;">Print</span>
ZKP5802		58mm Thermal Printer speed:90mm/s TPH:100Km Output:DC 12V/3A <b>Interface: USB (Standard),</b> Dimension:215*110*136mm <span style="float: right;">Print</span>
ZKP5808		58mm Portable Thermal Printer speed:90mm/s TPH:100Km Output:DC 9V/1.5A Built-in battery:7.4VDC/1500mAh <b>Interface: USB+RS232+Bluetooth4.0(USB cable is standard)</b> <span style="float: right;">Print</span>
		Funda protectora para ZKP580

ZKP8001		<p>80mm Thermal Printer with auto-cutter          Print speed :300mm/s      TPH:100Km          Output :DC 24V/2.5A          Interface :<b>USB+RS232+LAN</b>          Dimension :190*145*145mm          Options :LAN(-3USD) RS232 cable for connecting with time attendance device</p>
ZKP8003		<p>80mm Portable Thermal Printer    Print speed :90mm/s    TPH:100Km          Output :DC 9V/1.5A          Built-in battery :7.4VDC/2000mAh          Interface: <b>USB+RS232+Bluetooth4.0(USB cable is standard)</b></p>
ZKP8005		<p>80mm Desktop Thermal Printer with auto-cutter          Print speed: <b>200mm/s</b>          TPH:100Km          Output: DC 24V/2.5A          Interface: <b>USB</b>          Dimension: 192*145*133mm</p>
ZKP8006		<p>Desktop Label Printer with auto-cutter          Print speed: 160mm/s          Print Width: 100mm          Output:DC 24V/2.5A          Interface: USB          Dimension: 180*115*107mm</p>
ZKP8008		<p>80mm Desktop Thermal Printer with auto-cutter          Print speed: <b>200mm/s</b>          TPH:100Km          Output: DC 24V/2.5A          Interface: <b>USB</b>          Dimension: 192*145*133mm</p>
Thermal Printer Paper		<p>width57*diam45mm, 100 rolls/box, 70gr, 12 meters long</p> <p>width80*diam45mm, 100 rolls/box, 70gr, 12 meters long</p> <p>width80*diam74mm, 50 rolls/box, 70gr, 41 meters long</p> <p>width80*diam80mm, 50 rolls/box, 65gr, 52 meters long</p>

Barcode Scanner		
ZKB101		1D Laser Barcode Scanner
ZKB102		1D Red Light Barcode Scanner
ZKB103		1D Wireless Laser Barcode Scanner
ZKB104		1D Wireless Red Light Barcode Scanner
ZKB105		1D Wireless Laser Barcode Scanner with Stand
ZKB106		1D Wireless Red Light Barcode Scanner with stand

ZKB109		<p>1D Barcode Scanner          Laser, LED 650nm          20 lines scanning          Interface: RS232, USB          Decode Error Rate: 1/5 million</p>
ZKB201		2D Barcode Scanner
ZKB202		2D Wireless Barcode Scanner
ZKB203		2D Wireless Barcode Scanner with Stand. 100,000 códigos de productos básicos (16 MB). IP54
ZKB205		2D Laser Embedded Module
ZKB209		2D Barcode Scanner Platform, Multiline scanning
ZKBS		The stand for hand-held scanner

Touch Monitor		
ZKD1502R		15" TFT LCD panel 1024*768 Domestic Resistive Touch Screen Folding Base 12V 3A power supply      Projected Capacitive Screen:+20USD
ZKD1502C		Projected Capacitive Screen
ZKD1702R		17" TFT LCD panel 1280*1024 Domestic Resistive Touch Screen Folding Base 12V 3A power supply      Projected Capacitive Screen:+25USD
ZKD1702C		Projected Capacitive Screen
ZK-VFD01		Vacuum Fluorescent Display 2lines*20 Characters Interface:USB port
ZK-VFD02		Vacuum Fluorescent Display 2lines*20 Characters Interface:USB port
ZK-MSR		USB Magnetic Card Reader for POS